

Bushings, Spacers & Shims



Service Parts Bushing

4012050, 4012270, 4012384, 4012529, 401875, 714053, 517068, 614008,
614015



- 4012050** - Bushing, Idler, .406ID x .665 OD x .97 LG, Dual Bearing
 - 4012270** - Bushing, Idler, .328ID x .665 OD x .47 LG, Sgl Bearing, (711016 replaced by 711048)
 - 4012384** - Bushing, Idler, .453ID x .665 OD x .97 LG, Dual Bearing
 - 4012529** - Bushing, Idler, .406ID x .665 OD x .50 LG, Sgl Bearing
 - 401875** - Bushing, Idler, .50ID x .665 OD x .47 LG, Sgl Bearing
 - 714053** - Bushing, Idler, .375ID x .665 OD x .47 LG, Sgl Bearing
-



- 517068** - Bushing Dowel, 8MM x 13MM Long
-



- 614008** - Bushing, Shock, 1.25 OD x .63 ID x .75 Thk
-



- 614015** - Bushing, Shock, H-Mount
-



Service Parts
Shims
617083, 617084, 617085



617083 - Shim, .075 Nominal, 1/2 ID x 7/8 OD

617084 - Shim, .020 Thick, .62 ID x 1.00 OD

617085 - Shim, .047 Thick, .75 ID x 1.12 OD




Service Parts Spacers

4011243, 4012565, 4011314, 4011928, 4011001-1, 4011001-10, 4011001-2,
401110-1, 401110-4, 401110-8, 401110-9, 4011389, 401147-10, 401147-12,
401147-15, 401147-2, 401147-21, 401147-25, 401147-26, 401147-31,
401147-4, 401147-40, 401147-46, 401147-47, 401147-5, 401147-6, 401147-8,
401148-1, 401148-10, 401148-3, 401148-9, 4011559, 4011662, 4011679,
401181-11, 401181-35, 401181-8, 4012004, 4012010, 4012033, 4012053,
4012289, 4012476, 4012517, 4012525, 4012526, 4012538, 4012568, 4012576,
4012742, 4012885, 4012887, 4012924, 4013017, 4013127, 401943-2,
401943-4, 401973-3, 4013132-01, 4013132-02, 617050, 617078, 617079,
718010



- 4011243** - Spacer Fan, 1.38" High (2.00 overall) 1.25-16, Left hand thread
- 4012565** - Spacer Fan, .88" High (1.54 overall) 1.25-16 I, Left hand thread



- 4011314** - Spacer Fan, 1" High (1.5 overall) 1.25-18, Right hand thread
- 4011928** - Spacer Fan, .790" High (1.29 overall) 1.25-18, Right hand thread



- 4011001-1** - Spacer, 2.00" OD x .531" ID x .56" Long
- 4011001-10** - Spacer, 2.00" OD x .531" ID x 1.00" Long
- 4011001-2** - Spacer, 2.00" OD x .531" ID x .94" Long
- 401110-1** - Spacer, .88" OD x .50" ID x 2.00" Long
- 401110-4** - Spacer, .88" OD x .50" ID x .630" Long
- 401110-8** - Spacer, .88" OD X .50" ID X 1.00" Long
- 401110-9** - Spacer, .88" OD x .50" ID x .250" Long
- 4011389** - Spacer, 1.75" OD x 1.312" ID x .060" Long
- 401147-10** - Spacer, .88" OD x .41" ID x 1.5" Long
- 401147-12** - Spacer, .088" OD x .44" ID x .380" Long
- 401147-15** - Spacer, .88" OD x .44" ID x 1.25" Long
- 401147-2** - Spacer, .88" OD x .44" ID x 1.250" Long
- 401147-21** - Spacer, .88" x .44" x .812" Long
- 401147-25** - Spacer, .88" x .44" x .560" Long
- 401147-26** - Spacer, .88" OD x .44" ID x 3.250" Long
- 401147-31** - Spacer, .88" OD x .44" ID x 1.312" Long
- 401147-4** - Spacer, .88" OD x .44" ID x .500" Long

- 401147-40** - Spacer, .88" OD x .44" ID x 3.17" Long
- 401147-46** - Spacer, .88" x .44" x .190" Long
- 401147-47** - Spacer, .88" x .44" x .0344" Long
- 401147-5** - Spacer, .88" x .44" x .620" Long
- 401147-6** - Spacer, .88" OD x .44" ID x 1.000" Long
- 401147-8** - Spacer, .88" x .44" x .250" Long
- 401148-1** - Spacer, .88" OD x .47" ID x 1.750" Long
- 401148-10** - Spacer, .88" OD x .43" ID x 1.380" Long
- 401148-3** - Spacer, .88" OD x .47" ID x 2.00" Long
- 401148-9** - Spacer, .875" OD x .47" ID x .375" Long
- 4011559** - Spacer, .75" OD x .44" ID x .75" Long
- 4011662** - Spacer, .88" OD x .50" ID x 1.375" Long
- 4011679** - Spacer, .75" OD x .421" ID x .344" Long
- 401181-11** - Spacer, .875" OD x .562" ID x .25" Long
- 401181-35** - Spacer, .875" OD x .562" ID x 2.88" Long
- 401181-8** - Spacer, .875" OD x .562" ID x .50" LG
- 4012004** - Spacer, .875" OD x .469" ID x .170" Long
- 4012010** - Spacer, Idler, .88" OD x .5" ID .219 High
- 4012033** - Spacer, .62" OD x .375" ID x .44" Long
- 4012053** - Spacer, .75" OD x .375" ID, 1.343" Long
- 4012289** - Spacer, Idler, 1.0" OD x .468" ID x .005" High
- 4012476** - Spacer, 1.75" OD x 1.19" ID x .19" Long
- 4012517** - Spacer, .88" OD x .406" ID x .28" Long
- 4012525** - Spacer, 1.00" OD x .406" ID x .825" Long
- 4012526** - Spacer, 1.00" OD x .406" ID x 3.55" Long
- 4012538** - Spacer, 1.00" OD x .406" ID x .91" Long
- 4012568** - Spacer, Idler, .88" OD x .44" ID x .47-.49" Long
- 4012576** - Spacer, .88" OD x .44" ID x .328" Long
- 4012742** - Spacer, 30MM ID x 42MM OD x 1MM Thk
- 4012885** - Spacer, 1.38" OD x 1.00" OD x .41" ID x 2.11" Long
- 4012887** - Spacer, .88" OD x .41" ID x 1.19" Long
- 4012924** - Spacer, 1." OD x .406" ID x 2.250" Long
- 4013017** - Spacer, .88" OD x .44" ID x .140" Long
- 4013127** - Spacer, .400" ID x 1.00" OD x .040" Long
- 401943-2** - Spacer, 1.25" OD x .625" ID x .50" Thk
- 401943-4** - Spacer, 1.25" OD x .625" ID x .62" Thk
- 401973-3** - Spacer, .75" OD x .50" ID x .31" Long



- 4013132-01** - Spacer, Direct mount compressor. Base thickness is .125
- 4013132-02** - Spacer, Direct mount compressor. Base thickness .25



617050 - Spacer, Nylon, .219" ID x .50" OD x .38" Thick



617078 - Spacer, Arbor, .88 ID x 1.38 OD x .010 Thick, w/Keyslot

617079 - Spacer, Arbor, .88 ID x 1.38 OD x .020 Thick, w/Keyslot



718010 - Spacer, Fan, 5/8", Cummins 8.3L